

Message

From: Ruelas, Cynthia [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=A7E251B9DBB24D308D1FA3B219F6AA52-CRUELAS]
Sent: 3/5/2019 3:30:58 PM
To: ZIFF, SARA [ZIFF.SARA@EPA.GOV]
Subject: RE: PCB Approvals to determine facilities with existing LUCs

Thank you Sara!

From: ZIFF, SARA
Sent: Monday, March 4, 2019 4:59 PM
To: Ruelas, Cynthia <RUELAS.CYNTHIA@EPA.GOV>; Irwin, Karen <Irwin.Karen@epa.gov>
Subject: RE: PCB Approvals to determine facilities with existing LUCs

See attached – thanks!

^^^^^^^^^^^^^^^^^^^^

Sara Ziff, P.E.
Project Manager
Corrective Action Section
U.S. EPA, Region 9
75 Hawthorne Street (LND-4-1)
San Francisco, CA 94105
(415) 972-3536
ziff.sara@epa.gov

From: Ruelas, Cynthia
Sent: Monday, March 04, 2019 3:48 PM
To: Irwin, Karen <Irwin.Karen@epa.gov>; ZIFF, SARA <ZIFF.SARA@EPA.GOV>
Subject: RE: PCB Approvals to determine facilities with existing LUCs

Hi Karen,

Here is some of the info you requested.

So Cal Edison Orange Products Substation: Attached is the approval that was posted in ERRC; I noticed that this document does not have a date. However, hopefully you'll get what you need from the info in the approval.

Union Pacific Railroad Leo Street SJ: This one does not have an approval, but it does need an LUC, as they plan on putting a cap at the site. The Water Board will be issuing the LUC at this site. I am in the PM for this one, so please let me know if you have any questions about this site.

Wilmington Marine Services: Attached is the latest conditional approval.

Kekaha: I looked in ERRC but I only found one document from 2/25/2000.

Emery Station North: Sara Ziff said she would send the approval

Sara – can you please send Karen Irwin the latest approvals for Kekaha and Emery Station North?

Thanks,
Cynthia

From: Irwin, Karen
Sent: Monday, March 4, 2019 2:08 PM
To: Ruelas, Cynthia <RUELAS.CYNTHIA@EPA.GOV>
Subject: FW: PCB Approvals to determine facilities with existing LUCs

Sorry for the multiple emails! Here's another one missing:

So Cal Edison Orange Products Substation	5/22/2018	6/4/2018	Sara Ziff
--	-----------	----------	-----------

Karen Irwin
U.S. EPA Region IX, LND-1-1
75 Hawthorne St.
San Francisco, CA 94105
(415) 947-4116

From: Irwin, Karen
Sent: Monday, March 4, 2019 2:06 PM
To: Ruelas, Cynthia <RUELAS.CYNTHIA@EPA.GOV>
Subject: RE: PCB Approvals to determine facilities with existing LUCs

Hi Cynthia, there are two more listings where the approval letter wasn't attached – these are at the end of the list.

Emery Station North	11/29/2018	12/12/2018
Union Pacific Railroad San Jose - Leo Street	11/9/2018	

Thanks,
Karen

Karen Irwin
U.S. EPA Region IX, LND-1-1
75 Hawthorne St.
San Francisco, CA 94105
(415) 947-4116

From: Irwin, Karen
Sent: Monday, March 4, 2019 1:57 PM
To: Ruelas, Cynthia <RUELAS.CYNTHIA@EPA.GOV>
Subject: RE: PCB Approvals to determine facilities with existing LUCs

Hi Cynthia, I went through the approval letters you attached – there are several sites with approval letters listed in the spreadsheet that are not included in the attachments. If you have the missing letters and can send them or show me where to look, please let me know.

Here are the gaps:

- Kekaha (Sara Z.)
- Wilmington Marine

- LBNL 7/9 and 7/16 approvals (Carmen)
- the first 18 entries in the table:

Hu Honua Bioenergy
Kaiser Permanente Medical Office Building
San Jose-Santa Clara Regional Wastewater Facility
Robert B. Diemer Treatment Plant
SMUD HQ
Robert B Diemer Treatment Plant
Kaiser Permanente Medical Building, Oakland Legacy Tower
Kaiser Permanente Medical Office Building
Malibu High School Buildings A and B/C
825/835 Industrial Rd
California Steel Industries
Kaiser Medical General Services Building Demolition Project
LBNL
Former Riverbank Army Ammunition Plant
Malibu High School Buildings D, F, G, I, and J
LBNL
LBNL
Kaiser Permanente Medical Center

Thanks,
Karen

Karen Irwin
U.S. EPA Region IX, LND-1-1
75 Hawthorne St.
San Francisco, CA 94105
(415) 947-4116

From: Ruelas, Cynthia
Sent: Monday, March 4, 2019 8:45 AM
To: Irwin, Karen <Irwin.Karen@epa.gov>
Subject: PCB Approvals to determine facilities with existing LUCs

Hi Karen,

Attached are the latest PCB approvals (sorry for the duplicates). I am also attaching a tracking spreadsheet for PCB approvals. I think I am sending you the approvals on the cloud/sharepoint, but honestly, I'm not 100% sure how you will be able to access this since this is my first time doing this. Perhaps you can give me a call when you are ready to open these and let me know what you see and how you are accessing the approvals.

Thanks!

.....
Cynthia Ruelas
Environmental Engineer
Permits Section
US Environmental Protection Agency Region 9
75 Hawthorne Street, Mail Code LND-4-2
San Francisco, CA 94105

Tel: (415) 972-3329
Fax: (415) 947-3528
Email: ruelas.cynthia@epa.gov